

The Uranus Ultra platform provides 360° 3D situational awareness and advanced airborne threat protection, integrating up to 12 SD/HD camera inputs. Powered by dual Hailo Al accelerators, it enables real-time monitoring across all cameras simultaneously, delivering instant alerts on potential threats.

Designed for mission-critical environments, Uranus Ultra enhances threat detection and response for urban and open terrain combat, supporting Armored Fighting Vehicles (AFVs), observation posts, and various defense and surveillance applications. This high-performance platform ensures defense teams are equipped with precise, actionable intelligence to navigate complex operational challenges.

Key Features and Benefits


- Full situational awareness coverage delivering 360° 3D coverage, including airborne views, with precise, Al-driven threat detection and classification to eliminate blind spots and maximize operator safety
- Flexible & customizable for diverse operational requirements with a highly modular design in order to meet specific needs and future updates
- Al-enabled, incorporating edge computing Al, providing intelligent, real-time analytics and decision-making capabilities. Open architecture supporting customers proprietary Al based implementations
- Up to 8K video encoding and decoding for exceptionally high-resolution video streaming in real time scenarios

- Super large 64GB EMMC and 8GB LPDDR4, delivering powerful memory capacity and performance for real-time data processing
- Ultra-low latency, ensuring real-time video transmission for mission-critical applications
- H.265 efficiency for compressing high-quality video using less bandwidth
- Strong network communication capabilities, supporting a variety of miniature and low-power stable wireless communications for uninterrupted transmission in challenging environments
- Continuous recording, enabling post-event debriefings and continuous improvement of the Al model through real-world data
- Octa ARM core platform and ~60 tops AI
 acceleration with powerful processing capabilities
 for AI-driven insights and real-time data analysis

Uranus Ultra Main Board




Block Diagram



Mezzanine



Block Diagram



	GPU	Support OpenGL ES3.2/OpenCL 2.2/Vulkan1.1, 450 GFLOPS
	NPU	NPU computing power up to 6 TOPS Support INT4/INT8/INT16 mixed operation Support framework switching of TensorFlow/MXNet/PyTorch/Caffe
	ISP	Integrated 48MP ISP with HDR&3DNR
	VPU	Video decoding: 8K@60fps H.265/VP9/AVS2 8K@30fps H.264 AVC/MVC 4K@60fps AVI 1080P@60fps MPEG-2/-1/VC-1/VP8 Video encoding: 8K@30fps encoding, support H.265 / H.264 Up to 32-channel 1080P@30fps decoding and 16-channel 1080P@30fps encoding can be achieved
	RAM	8GB64bit LPDDR4 (Industrial grade)
	Storage	64GB eMMC (industrial grade) Micro-SD (up to 2TB)
	Al Acceleration	Dual Hailo-8

Octa-core 64-bit (4×Cortex-A76+4×Cortex-A55), 8nm

RockChip RK3588J

lithography process clock speed up to 2.2GHz

5 x POE IP Camera

3 x CVBS (PAL/NTSC)

HDMI in

3 x HDSDI

1x CVBS

1 x HDMI

Dual USB 3.0

ARM Mali-G610 MP4 quad-core GPU

Technical Specifications

SOC

CPU

Video In

Video Out

USB

